

HUM-BUG DETECTOR® KIT

Effective 9/01/2002

SECTION I PRODUCT IDENTIFICATION AND USE

PRODUCT IDENTIFIER: HUM-Bug DETECTOR® Kit

PRODUCT DESCRIPTION: A water-insoluble naphthionic hydrocarbon mixture (white mineral oil, National Formulary Guide) above a solution of inorganic salts in water.

PRODUCT USE: Detection of micro-organism contamination in hydrocarbon fuels and oils.

MANUFACTURER AND SUPPLIER: **Hammonds Fuel Additives, Inc.**
15760 West Hardy Road, Suite 400
Houston TX 77060-3147

TELEPHONE NUMBER: (281)820-5674

FAX NUMBER: (281)847-5129

CAS NUMBER: Mixture

PIN NUMBER: Not applicable

SECTION II - HAZARDOUS INGREDIENTS

Hazardous Ingredients: None. (Components are less than limits specified in sections 13 (a) and 14 (a) of the Hazardous Products Act).

WHMIS Classification: Not a controlled product under WHMIS legislation.

Transportation of Dangerous Goods (TDG) Classification: Not Applicable

SECTION III - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Two layer liquid

Appearance/Odor: Two colorless immiscible liquids with slight hydrocarbon odor.

Odor Threshold: Not available

Evaporation Rate: Not available

Vapor Pressure: Not available

Vapor Density: Not available

Specific Gravity: Not available

Coeff. Water/Oil Dist.: Not available

HUM-BUG DETECTOR® KIT

Hydrocarbon Mixture

Aqueous Phase

Boiling Point:	230° C	pH:	6.8-7.0
Density:	0.84 g/cc at 15° C	Solubility:	100% in water
Freezing/Melting Point:	-9° C		
Viscosity:	12.30 cSt at 40° C		
Solubility:	Insoluble in water		

SECTION IV - FIRE AND EXPLOSION HAZARD

Flammability: Not flammable; can burn if aqueous salt solution is removed and hydrocarbon mixture is heated to temperatures at or above the flash point.

Firefighting: Use dry chemical, foam or water spray to extinguish fire. Cool fire-exposed containers with water spray.

Flash Point and Method: 120° C, COC ASTM D92 (hydrocarbon mixture only)

Hazardous Combustion Products: Smoke, carbon monoxide, carbon dioxide.

Upper and Lower Flammable Limits: Not Applicable

Explosion Data: Sensitivity to Impact: Not sensitive to mechanical impact.

Sensitivity to static discharge: Not Applicable

Autoignition Temperature: Not Available

SECTION V - REACTIVITY DATA

Stability: Stable product

Incompatible Materials and Conditions to Avoid: Strong Oxidizers

Reactivity and Conditions: Addition of strong oxidizers generates heat which may ignite the mineral oil.

Hazardous Decomposition Products: Smoke, carbon monoxide

SECTION VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Inhalation, ingestion

HUM-BUG DETECTOR® KIT

ACUTE EXPOSURE EFFECTS:

- or
- Inhalation:** Negligible inhalation hazard at temperatures up to 38° C due to its low volatility. Mists vapors produced at elevated temperatures can irritate the eyes, nose, throat and lungs.
- Ingestion:** Low Toxicity: Aspiration into the lungs can occur during ingestion or subsequent vomiting leading to lung injury (pneumonitis).
- Eye Contact:** Mildly irritating, not known to cause injury.
- Skin Contact:** Irritation is not usually a problem; not absorbed readily. Injection of hydrocarbons into the skin may not appear serious at first; within a few hours tissue will become swollen, discolored and extremely painful.

CHRONIC EXPOSURE EFFECTS

- and
- Skin Contact:** Prolonged or repeated contact may cause drying, peeling, itching, reddening, cracking blistering (dermatitis); increases risk of infection.
- Occupational Exposure Limits:** ACGIH TLV-TWA 5mg/m³ mineral oil mists. Check with the local regulatory agency for the limit in effect in your area (Workers compensation Board in British Columbia).
- Carcinogenicity:** No evidence - ACGIH (mineral oil)
Inadequate evidence - IARC (highly refined mineral oils).
- Mutagenicity:** No evidence - ACGIH (mineral oil)
No evidence - IARC (mineral oil)
- Reproductive Toxicity:** No evidence
- Irritancy:** Mild irritant.
- Sensitization:** No evidence.
- Synergistic Products:** No evidence.
-

SECTION VII - PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves and Safety Equipment: Neoprene or nitrile gloves and safety glasses should be worn if contact is possible.

Page 3

HUM-BUG DETECTOR® KIT

Special Footwear:	Not applicable.
Clothing:	Not applicable.
Engineering Controls:	Not applicable.
Respirators:	Not applicable.
Leak and Spill Procedure:	Wear gloves and safety glasses. Absorb with sand, diatomaceous earth or vermiculite, and transfer to a labeled metal container for disposal.
Waste Disposal:	Remove needle from syringe. Bend or break needle so that it is not reused. Dispose of both the needle and syringe. Ensure disposal is in compliance with government requirements and ensure conformity to local disposal regulations.
Storage:	Keep bottles sealed, and store in a cool, well-ventilated place away from incompatible materials, and sources of heat or ignition.
Shipping:	Not included under TDG regulations.

SECTION VIII - FIRST AID MEASURES

Inhalation:	Not a problem under normal conditions. If overexposed to vapors or mists, remove victim to fresh air.
Eye Contact:	Open eyelids and flush with water for twenty minutes. Refer to medical aid if irritation persists.
Skin Contact:	Flush with water and wash thoroughly with soap and water. Remove contaminated clothing. Get immediate medical attention if product is injected into the skin.
Ingestion:	Do not induce vomiting. Get immediate medical attention.